

Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

p. 29 C. protinatus amentes Posely.



## MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Cercus paucispians in flower in Cambridge manh 1877 from my seedling of 1853 flower deep crimson, of the Mocairans elas open dy and night \_ about 2 justs by 1/4 wide ( nom viln!) 2021 13 arrolae on ovary; bearing in the wills of short oval acute subtente depils white and will 1-5 brilly whitish spines, Tiped dich I lowest sepels of tube similar, graduelly larger, smille ones pilalois, olly solure murronte, with a few White spins in akely Deinner sepels skorter the petets, round 13 pelets, on now, inside with orange linge ovang grung 4/2 Ling 5 mm 2/2 lin (25 lin) naked part of tele (neclasion) Slauriniferos port of tites 18 am ? fr . ( stames as long as inner petils, Shite below, silky purple upwards The as long is out petel, I green event stign 6 mm long outer larger petel 12-14 "wire inner ons 3-10"

Vinton Lowa, Oct, 26/2 D' Geo. Eugelmah StLouis Mo. Dear Sir. XI this reaches you please send me your address as I have a comple of Emphorbiae and Cupculas that I would like to send to you for ident spication, Manna Kank MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL

copyright reserved cm

GARDEN

Echroneren Blanki " at Open Ormal They

Schroneren Blanki at Open Open They

flowers coming out just now bunching

the epidermis, like all the allied plant,

similar to advent, trong buds

flowers come out fan below the

vertex saterelly

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Afrit Guedeney, Vesial 5/4 69 de below Chihorenen glycymorphon is jud beginning toflower! a prover to be distribly from E. pacerispian, or it belongs to the scatter. of phoening with south flow, unt changing of night. 2023 The though graften / plant her & soly much to Connected 3-5 spiles. flower guit leterel, 2 insher from top. mon 1870. a mistake! their must be the true pacerispians, Shith is now flowering her Allow,



MISSOURI BOTANICAL GARDENE GEORGE ENGELMANN FAREAS



Suhlow And Jewedenay Described of 1869 Ehromen pæcarispedan That ( graffed) plant just beginning to flower site by side with the willist but rankel flower Egly o'weight. Here with 8 hourset not, 2-4 spine flower parplish - nd dott d'une. almost at on at least ween top, belone flower comes for la down 4 inches from

The Spin Darhun than in glying moghing My 1870. This much be a mistake as is Ildown; C. pennispin i diurnal and his orange-stadet for The plat her described is probably C. glycy morphus



MISSOURI BOTANICAL GARDING



And Guedency, Verinel 769 Chroneren mamillifen a melalecery seems to be identiful est a small spind fenden: The flowers but through the enden



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Hort Guedeney Verint, of 69 Echinoveren Berlandiens and Blanker are said by the Guedeney to have exactly the same flower, while those of powered kentiligten ald This allind my one different.



MISSOURI BOTANICAL GARDEN.



Hort guedency Verinel & 69 Echiavrens papillosus way is it not = Tendlen. Teur voze - argentes plant ylender, 10 " high; flower 3 inches Bon Top gnit, very much interrupted, might be called mani late: ma....dig vostanen vaster (or: costes simulantes) Zerralis Spiaes very much like those of C. Fend Con dach I pele or write over pental one ourse

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL COPYRIGHT RESERVED GARDEN


MISSOURI BOTANICAL GARDEN.


GEORGE ENGELMANN FARERS.



Ehrenovern ped årferns 2028 paper of seeds the are wrapped up is quite red from the pref, just as if a men Manie hed been evrapped up -







0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDAN GEORGE ENGELMANN PAPERS




Hart Mendang Paris Manh 10 1869 Cerum publications is pied now pushing onl flower tend busting the apidomic above the Sphifen, andle 2030



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS










Cer Chromengii & C. pentlegter, are synong of All King King XIX. 262 derre. og flomen and lovelite 2032





Hors Off Panis Warsh 10 6 Chinopsij amoona cerc colont the same E. pulchalla thing, both belong to Echinorereces, both begin to show flower bus mend and burst the exidence above the 203 Spiniferous areola



MISSOURI BOTANICAL GARDELI GEORGE ENGELMANN PAPERS



Host Cels March 18 1869 Motes 2034 Echinorerens plerogomes, Labouret flowered pre, a god figur i preserved, remarkelle for its long tibe flower 4-5 incher long statel, open dry & with, and remained open 8-10 dags. - Stigme er ill others E. arifer her else oriensenflower, open den jul E. corner (= enmander, file wober florer purpurei din mi Cerens Bertinii Cels from the eastern coast of Pategonie, 45° s. Cal. like a the Schoneren of Color 6-8 lacky kooked up ward i will developed Spericum, all perhas booked flowing i figure - 'Aevue hosticole' Cereus Aoemeni plent now on while end exactly like my origine Lexis Sperimen, That, selflown, 6-7 vil 7 md 1 cent 1/1. \* all wanty equal flowers brick volum, steff and regular open g dag, dag & night. Cer. vindiflores, under the name of Caleboury and, fin Herrica, lave Cowerd exactly my plant vigorous, out stand any centre pines.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN MISSOURI BOTAMICAL BERNE GEORGE ENGELMANN PAPERS



MISSOURI BOTANICAL GARDEN Tifferent from my Eprorauber aksheisaler here, 5 milled E. Deslandin & E. Blanki ane scarely to be dilinguished and 5. Ehrenbergi men also belong here. \_ or perhaps weren to E. orhers en, both these have mon de Cont nils Hort Cels. Om Mark 12'1869



MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





Canon City, Colorado, El Joven ort 1873 1, læger om vitte 3 heads. An 5 apparents have seen out of . - Head from their base 4 - 5/4 inches high now (showbelled) 2/2-24 inch sent water of nits of nits of all oblique deeply divided by transverse grooves so as to form brond transverse Tabriles 6-8 spines, all more or less augulen or quadragled ours, the uppower one stoutest, blackish, when young the others start one I s lower over, all i one ovole \_ but sometimes two additions upper one suche the start apper one a rental om with 7 radil spile, on there is one uppradoublisions one or a loven adventitions one , on the appear start spice is less Inolopped, so that there appeared mist comes the upper our stocked the Cown mes weeker, but all auglest 2) smiller sperime 7 heads oorl, 3 inher high 2/2 die yn mostly å vibs more obligue, spræs similar, upper sprine bown or asky red when your usully plouter I shrighter




EARLY OF THE STATE and the second of the second o and the second s MISSOURI POTANICAL GARDERS

GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN

Thankful Tebr. 1857 Echinopsis pulchella Gazarolai Som 0.8 - 0.85 log obligation black hite Co. by straget oboute; rotyledon, pamelle (apparelle) enople enoy 







Ethinopsis prehella & amoena are course.
Ethino verei across to P. Sela & observatori

stigma green ett 2038 bych dry 1807







